



STATE OF NEW MEXICO
WATER QUALITY CONTROL COMMISSION
1190 St. Francis Drive
P.O. Box 5469
Santa Fe, New Mexico 87502

CONSTITUENT AGENCIES:

Environment Department
State Engineer & Interstate Stream Commission
Game and Fish Department
Oil Conservation Division
Department of Agriculture
Department of Health
State Parks Division
Soil and Water Conservation Commission
Bureau of Mines and Mineral Resources
Members-at-Large

REVISED DRAFT AGENDA

NM WATER QUALITY CONTROL COMMISSION MEETING
January 10, 2012
9:00 a.m.
Old PERA Building, Apodaca Hall
Santa Fe, New Mexico 87501

The following items are for discussion and possible action:

1. Roll Call
2. Approve the Agenda
3. Approve minutes of December 13, 2011 meeting
4. Approval of Copper Rule Development Timeline, Misty Braswell, NMED/OGC, Mary Ann Menetrey, GWQB/NMED. Time Estimate: 15 Minutes
5. Request for hearing in **WQCC 12-02(A)**, Petition by Elida Municipal Schools for review of discharge permit renewal, DP 1425, Bruce S. Garber, Attorney for Petitioner, Elida Municipal Schools, Misty Braswell, OGC/NMED. Time Estimate: 10 Minutes
6. Request for hearing in **WQCC 12-03(A)**, Petition by Vision Mobile Home Park concerning compliance order, Marisela Ornelas, Vision Mobile Home Park, Jennifer Hower, OGC/NMED. Time Estimate: 10 Minutes
7. Other business and announcements
8. Next meeting: February 14, 2012

Coming up:

- a. Hearing in **WQCC 11-05(R)** on April 10, 2012, Amend Use For Lower Dry Cimarron River And To Establish Water Quality Standards for Lakes, Ryan Flynn, NMED/OGC.

9. Adjournment

If you are an individual with a disability who needs a reader, amplifier, qualified sign language interpreter, or any other form of auxiliary aid or service to attend or participate in the hearing or meeting, contact Carmella Casados at least ten days prior to the meeting or as soon as possible at 505.827.2425 or carmella.casados1@state.nm.us. Public documents can be provided in various accessible formats. Contact Carmella Casados if accessible format is needed.