

DOE Oversight Bureau, New Mexico Environment Department

**Direct Penetrating Radiation Monitoring Report at
the Waste Isolation Pilot Plant**

**Conducted by the
New Mexico Environment Department DOE Oversight Bureau
for Calendar Year 2017 Q-2**

**Prepared by
Andrea K. Goodbar, Environmental Scientist**

**WIPP Oversight Section
406 N Guadalupe Street
Carlsbad, NM 88220
(575) 885-9023
andrea.goodbar@state.nm.us**

Final Report

5/25/2018

The purpose of this communication is to transmit direct penetrating radiation (DPR) dose levels collected at the Waste Isolation Pilot Plant during the second quarter of calendar year 2017. The data measurements were obtained using the E-PERM® electret ionization chamber system from Rad Elec Inc.

Acknowledgment:

This material is based upon work supported by the Department of Energy Office of Environmental Management under Award Number DE-EM0002114.

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Table of Contents

| | |
|--------------------|----|
| Figures | i |
| Tables | i |
| Acronyms | ii |
| Introduction | 1 |
| Results | 4 |
| Conclusions..... | 8 |
| References..... | 8 |
| Appendix 1 | 9 |

Figures

- Figure 1. Location of NMED DOE-OB DPR monitors at WIPP and in the area surrounding WIPP
- Figure 2. NMED DOE-OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad)
- Figure 3. NMED DOE-OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad) mapped by sampling location

Tables

- Table 1. Location and operational details of Direct Penetrating Radiation monitoring stations located inside the WIPP Exclusive Use Area and in the WIPP vicinity.
- Table 2. NMED DOE OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad).

Acronyms

| | |
|--------|--|
| CFR | Code of Federal Regulations |
| CY | Calendar Year |
| DOE | Department of Energy |
| DPR | Direct Penetrating Radiation |
| EDE | Effective Dose Equivalent |
| EPA | Environmental Protection Agency |
| mrاد | Millirad |
| mrem | Millirem |
| NESHAP | National Emission Standards for Hazardous Air Pollutants |
| NMED | New Mexico Environment Department |
| OB | Oversight Bureau |
| Q-2 | Second Quarter |
| SD | Standard Deviation |
| WIPP | Waste Isolation Pilot Plant |
| WOS | WIPP Oversight Section |

Introduction

The U.S. Department of Energy (DOE) has provided grant funding to the New Mexico Environment Department (NMED) DOE Oversight Bureau (DOE-OB or the Bureau) to conduct environmental surveillance and monitoring at the Waste Isolation Pilot Plant (WIPP) since 2005. Monitoring programs include ambient air sampling, exhaust air sampling, general environmental sampling and measuring direct penetrating radiation.

The purpose of the Direct Penetrating Radiation (DPR) Monitoring Program is to monitor gamma radiation (or direct penetrating radiation) at the WIPP facility, in the area immediately surrounding, and along the local WIPP transportation routes.

There are no Federal or State standards for gamma radiation in the environment. To verify that activities at the WIPP are protective of public health and the environment, the NMED WIPP Oversight Section (WOS) gamma radiation dosage results are compared to average naturally occurring background gamma radiation dosages and with historical NMED DPR data.

On average, Americans receive a radiation dose of about 620 mrem each year. Half of this dose (310 mrem) comes from natural background radiation: radon in the air, cosmic rays and the Earth itself. The other half comes from man-made sources of radiation: medical, commercial, and industrial sources (Doses in our Daily Lives, U.S. Nuclear Regulatory Commission website <http://www.nrc.gov/about-nrc/radiation/around-us/doses-daily-lives.html>, accessed August 4, 2017).

The environmental dose standard for the WIPP facility is established in Title 40 Code of Federal Regulations (CFR) Part 191, Subpart A, "Environmental Standards for Management and Storage." The standard sets the regulatory limit for external radiation to a member of the public outside the exclusive use area boundary at 25 mrem per year to the whole body and 75 mrem to any critical organ.

In a 1995 memorandum of understanding between the U.S. Environmental Protection Agency (EPA) and the U.S. Department of Energy (DOE), the DOE agreed that the WIPP facility would comply with 40 CFR Part 61, Subpart H, "National Emission Standards for Emissions of Radionuclides Other Than Radon from Department of Energy Facilities." The NESHAP standard for radionuclides requires that the emissions of radionuclides to the ambient air from DOE facilities shall not exceed those amounts that would cause any member of the public to receive in any year an effective dose equivalent (EDE) of 10 mrem per year. (US Environmental Protection Agency 1995)

The NMED WOS has measured and compiled DPR dose levels at NMED DOE OB monitoring sites during the second quarter (Q-2) of the calendar year (CY) 2017. During CY2017, the DOE OB maintained a total of fourteen (14) monitoring sites located in the Exclusive Use Area at WIPP and ten (10) sites at off-site locations in the region surrounding WIPP. DPR dose data are collected quarterly. (See Table 1, Figure 1; Appendix 1).

Table 1. Location and operational details of Direct Penetrating Radiation monitoring stations located inside the WIPP Exclusive Use Area and in the WIPP vicinity.

| DPR Number | Location Name | Operational History |
|----------------------|--|--------------------------------------|
| DPR 01 | Parking lot, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 02 | Railroad Entrance, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 03 | Southwest Fence Corner, WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 04 | South Fence Center, WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 05 | Near Southeast Fence Corner, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 06 | Far Southeast Fence Corner, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 07 | East Fence Middle, WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 08 | Northeast Fence Corner, WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 09 | North Northeast Fence Corner, WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 10 | North Fence Salt Pile WIPP Exclusive Use Area | CY2007 Q-1 to present |
| DPR 11 | Northwest Fence Corner, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 12 | Waste Handling Building Loading Dock West, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 13 | Waste Handling Building Loading Dock Center, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 14 | Waste Handling Building Loading Dock East, WIPP Exclusive Use Area | CY2006 Q-3 to present |
| DPR 15 ¹ | Carlsbad, NM - Canal St.(inactive) | CY2006 Q-3 to CY2012 Q-2 |
| DPR 16 | Loving Weigh Station | CY2007 Q-3, CY2009 Q-3 to present |
| DPR 17 | Malaga Volunteer Fire Department | CY2008 Q-1 to present |
| DPR 17a ² | Gnome Site | CY 2007 Q-3 |
| DPR 18 | Hobbs Highway / North Access Road Intersection | CY2009 Q-1 to present |
| DPR 19 | Southeast Control Tower | CY2011 Q-4 to present |
| DPR 20 | Carlsbad, NM – NMED Office. (interior) | CY2012 Q-3 to present |
| DPR 21 | Carlsbad, NM – NMED Office (exterior) | CY2012 Q-3 to present |
| DPR 22 | Seven Rivers Highway / Brantley (formerly “Artesia”) | CY2017 Q-2 to present |
| DPR 23 | North Loop Road | CY2016 Q-3 to present |
| DPR 24 | South Access Road / NM 128 Intersection | CY2016 Q-3 to present |
| DPR 25 | Jal Highway MM49 | CY2016 Q-3 to present |

¹ Monitoring at DPR 15 was discontinued after CY2012 Q-2 when NMED moved their office from the Canal Street location to 406 N Guadalupe Street.

² Monitoring at DPR 17a was completed for Q-3 CY 2007 then discontinued.




Figure 1. Location of NMED DOE-OB DPR monitors at WIPP and in the area surrounding WIPP

The data were obtained using the E-PERM® electret ionization chamber system from Rad Elec Inc. The electret passive ion chamber uses the principle of ion pair production resulting from gamma photons interacting with air molecules to reduce the voltage of a charged Teflon™ disk. (Rad Elec Inc. 2011) The chambers are housed in aluminum canisters designed to block gamma radiation from radon. Using a predetermined formula, the voltage drop indicates the amount of radiation passing through the chamber. (Rad Elec Inc. 2011) The WOS monitoring program reads electret passive ion chambers at the end of each quarter, readings are converted into quarterly dose values presented in units of millirads (mrad).

A rad is a unit of absorbed radiation dose, regardless of its source. The rem (Roentgen equivalent man) is a commonly used unit of ionizing radiation dose that uses a quality factor based on the source of radiation as it interacts with human body tissue. In the case of gamma radiation, the quality factor is one, and thus one rad is equal to one rem.

The quarterly dose rates have been normalized to reflect an actual quarter of 91.25 days. Normalized quarterly dose rates are summed for an estimated annual dose rate.

Results

The complete data set for Q-2 is presented in Appendix 1. Average quarterly dose measured at each station during Q-2 is provided in Table 2, Figures 2 and 3. The average quarterly dose of all DPR monitoring locations was 26.7 ± 7.6 standard deviation (SD).

DPR results at the WIPP ranged from a minimum average quarterly dose of 20.6 mrad at the WIPP Railroad Entrance (DPR02), to a maximum average quarterly dose of 28.7 mrad at the North-Northeast Fence Corner (DPR09). The average of all measurements at the WIPP site during Q-2 was $24.3 \text{ mrad} \pm 2.3 \text{ SD}$.

DPR results off-site ranged from a minimum average quarterly dose of 22.6 mrad at the Carlsbad NMED Office Exterior (DPR 21), to a maximum average quarterly dose of 60.3 mrad at the Jal Highway (DPR 25). The average of all measurements off-site was $30.1 \text{ mrad} \pm 10.8 \text{ SD}$.

A review of the historical DPR data collected at WIPP and in the surrounding region identified several potential outliers in the dataset. In these instances, one of the three electrets at a location had a voltage drop that was significantly higher or lower than the other electrets. Potential outliers were compared to the quarterly average across all stations, and data that exceeded 2 and 3 SD from the mean are identified in Table 2. Potential outliers have not been excluded from the results reported or analyzed.

Table 2. NMED DOE OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad). One asterisk (*) indicates that one of the three electrets' calculated dose exceeds two SD of the mean quarterly average for all stations without a disqualifying event listed in the field notes. Two asterisks (**) indicates that one of three electrets' calculated dose exceeds three SD of the mean quarterly average for all stations without a disqualifying event in the field notes.

| DPR Number | Location Name | 2017 Q-2 Average Dose (mrad) |
|-------------------|--|-------------------------------------|
| DPR 01 | Parking lot, WIPP Exclusive Use Area | 23.4 |
| DPR 02 | Railroad Entrance, WIPP Exclusive Use Area | 20.6 |
| DPR 03 | Southwest Fence Corner, WIPP Exclusive Use Area | 25.4 |
| DPR 04 | South Fence Center, WIPP Exclusive Use Area | 26.1 |
| DPR 05 | Near Southeast Fence Corner, WIPP Exclusive Use Area | 25.0 |
| DPR 06 | Far Southeast Fence Corner, WIPP Exclusive Use Area | 23.5 |
| DPR 07 | East Fence Middle, WIPP Exclusive Use Area | 26.2 |
| DPR 08 | Northeast Fence Corner, WIPP Exclusive Use Area | 26.6 |
| DPR 09 | North Northeast Fence Corner, WIPP Exclusive Use Area | 28.7 |
| DPR 10 | North Fence Salt Pile WIPP Exclusive Use Area | 25.7 |
| DPR 11 | Northwest Fence Corner, WIPP Exclusive Use Area | 21.1 |
| DPR 12 | Waste Handling Building Loading Dock West, WIPP Exclusive Use Area | 23.3 |
| DPR 13 | Waste Handling Building Loading Dock Center, WIPP Exclusive Use Area | 22.9 |
| DPR 14 | Waste Handling Building Loading Dock East, WIPP Exclusive Use Area | 21.6 |
| DPR 16 | Loving Weigh Station | 29.6 |
| DPR 17 | Malaga Volunteer Fire Department | 27.1 |
| DPR 18 | Hobbs Highway / North Access Road Intersection | 25.7 |
| DPR 19 | Southeast Control Tower | 28.5 |
| DPR 20 | Carlsbad, NM – NMED Office. (interior) | 29.6 |
| DPR 21 | Carlsbad, NM – NMED Office (exterior) | 22.6 |
| DPR 22 | Seven Rivers Highway / Brantley (formerly "Artesia") | 27.5 |
| DPR 23 | North Loop Road | 24.0 |
| DPR 24 | South Access Road / NM 128 Intersection | 26.4 |
| DPR 25 | Jal Highway MM49 | 60.3** |




Figure 2. NMED DOE-OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad)




Figure 3. NMED DOE-OB DPR Results for CY2017 Q-2, Average Quarterly Dose (mrad) mapped by sampling location

Conclusions

The doses calculated from the NMED DOE-OB DPR sites located at WIPP and in the surrounding region during CY 2017 Q-2 are comparable with historical results obtained by the Bureau since 2006. Overall the 2017 Q-2 data fall within the range of expected doses.

The average quarterly DPR dosages for Q-2 measured by the NMED DOE-OB at WIPP and in the region surrounding Carlsbad range from 20.6 to 60.3 mrad. If you extrapolate these quarterly doses for an entire year, the annual DPR dosages would range from 82.4 to 241.2 mrad. In the case of gamma radiation, the quality factor is one, and thus one rad is equal to one rem. These observed dose rates are less than the average U.S. natural background annual dose of 310 mrem which is the equivalent to 310 mrad.

References

- Rad Elec Inc. 2011. "Environmental Gamma Radiation Measurements, Part II." *Rad Elect Manual E-Perm System Users Manual-2* 321. Rad Elec Inc.
- United States Nuclear Regulatory Commission. 2017. *USNRC Protecting People and the Environment*. July 6. Accessed August 14, 2017. <https://www.nrc.gov/about-nrc/radiation/around-us/doses-daily-lives.html>.
- US Environmental Protection Agency. 1995. "Memorandum of Understanding Between the U.S. Environmental Protection Agency and the U.S. Department of Energy concerning The Clean Air Act Emission Standards for Radionuclides 40 CFR part 61 Including Subparts H, I, Q and T." Departmental MOU.

Appendix 1

Direct Penetrating Radiation Quarterly Dose Rates for CY 2017 Q-2. One asterisk (*) next to a value, indicates that the calculated dose exceeds two standard deviations of the mean quarterly average for all stations without a disqualifying event listed in the field notes. Two asterisks (**) next to a value, indicates that the calculated dose exceeds three standard deviations of the mean quarterly average for all stations without a disqualifying event listed in the field notes.

| Location | Electret ID | Start Date and Time | Stop Date and Time | Voltage Drop | Quarterly Dose Normalized (mrad) | Avg Quarterly Dose (mrad) |
|----------------------------------|-------------|---------------------|--------------------|--------------|----------------------------------|---------------------------|
| DPR01 WIPP Parking Lot | SHC 650 | 4/3/17 13:19 | 6/29/17 10:35 | 47 | 24.1 | 23.4 |
| | SHC 659 | 4/3/17 13:19 | 6/29/17 10:35 | 45 | 22.9 | |
| | SHC 726 | 4/3/17 13:19 | 6/29/17 10:35 | 45 | 23.2 | |
| DPR02 WIPP Railroad Entrance | SHC 754 | 4/3/17 13:23 | 6/29/17 10:40 | 38 | 19.8 | 20.6 |
| | SHC 835 | 4/3/17 13:23 | 6/29/17 10:40 | 40 | 20.3 | |
| | SHC 856 | 4/3/17 13:23 | 6/29/17 10:40 | 42 | 21.8 | |
| DPR03 WIPP SW Fence Corner | SHD 931 | 4/3/17 13:27 | 6/29/17 10:44 | 48 | 23.1 | 25.4 |
| | SHV 185 | 4/3/17 13:27 | 6/29/17 10:44 | 53 | 25.9 | |
| | SHD 960 | 4/3/17 13:27 | 6/29/17 10:44 | 55 | 27.1 | |
| DPR04 WIPP SW Fence Center | SIR 550 | 4/3/17 13:32 | 6/29/17 10:48 | 45 | 21.4 | 26.1 |
| | SIR 562 | 4/3/17 13:32 | 6/29/17 10:48 | 74 | 35.1 | |
| | SHC 771 | 4/3/17 13:32 | 6/29/17 10:48 | 43 | 21.8 | |
| DPR05 WIPP Near SE Fence Corner | SIR 583 | 4/3/17 13:36 | 6/29/17 10:50 | 55 | 26.0 | 25.0 |
| | SIR 569 | 4/3/17 13:36 | 6/29/17 10:50 | 54 | 25.5 | |
| | SHC 688 | 4/3/17 13:36 | 6/29/17 10:50 | 45 | 23.4 | |
| DPR06 WIPP Far SE Fence Corner | SHC 761 | 4/3/17 13:42 | 6/29/17 10:53 | 49 | 24.6 | 23.5 |
| | SHC 821 | 4/3/17 13:42 | 6/29/17 10:53 | 48 | 23.3 | |
| | SHD 912 | 4/3/17 13:42 | 6/29/17 10:53 | 47 | 22.8 | |
| DPR07 WIPP East Fence Mid | SHC 694 | 4/3/17 13:45 | 6/29/17 10:56 | 50 | 24.2 | 26.2 |
| | SHC 853 | 4/3/17 13:45 | 6/29/17 10:56 | 59 | 28.8 | |
| | SHD 962 | 4/3/17 13:45 | 6/29/17 10:56 | 53 | 25.7 | |
| DPR08 WIPP NE Fence Corner | SHC 686 | 4/3/17 13:50 | 6/29/17 11:00 | 50 | 25.6 | 26.6 |
| | SHD 942 | 4/3/17 13:50 | 6/29/17 11:00 | 55 | 26.7 | |
| | SHV 211 | 4/3/17 13:50 | 6/29/17 11:00 | 55 | 27.6 | |
| DPR09 WIPP NNE Fence | SHC 830 | 4/3/17 13:54 | 6/29/17 11:04 | 53 | 26.0 | 28.7 |
| | SHD 939 | 4/3/17 13:54 | 6/29/17 11:04 | 64 | 31.4 | |
| | SHD 954 | 4/3/17 13:54 | 6/29/17 11:04 | 59 | 28.6 | |
| DPR10 WIPP North Fence Salt Pile | SIR 516 | 4/3/17 13:57 | 6/29/17 11:07 | 59 | 28.0 | 25.7 |
| | SHC 689 | 4/3/17 13:57 | 6/29/17 11:07 | 47 | 24.3 | |
| | SHC 778 | 4/3/17 13:57 | 6/29/17 11:07 | 48 | 24.9 | |

| Location | Electret ID | Start Date and Time | Stop Date and Time | Voltage Drop | Quarterly Dose Normalized (mrad) | Avg Quarterly Dose (mrad) |
|--------------------------------|-------------|---------------------|--------------------|--------------|----------------------------------|---------------------------|
| DPR11 WIPP NW Fence Corner | SIR 702 | 4/3/17 14:02 | 6/29/17 11:09 | 37 | 17.6 | 21.1 |
| | SHC 678 | 4/3/17 14:02 | 6/29/17 11:09 | 38 | 19.9 | |
| | SIR 670 | 4/3/17 14:02 | 6/29/17 11:09 | 54 | 25.9 | |
| DPR12 WIPP West Loading Dock | SHC 644 | 4/3/17 14:10 | 6/29/17 11:13 | 44 | 22.2 | 23.3 |
| | SHC 743 | 4/3/17 14:10 | 6/29/17 11:13 | 41 | 21.0 | |
| | SHC 777 | 4/3/17 14:10 | 6/29/17 11:13 | 51 | 26.7 | |
| DPR13 WIPP Center Loading Dock | SHC 672 | 4/3/17 14:18 | 6/29/17 11:17 | 46 | 23.6 | 22.9 |
| | SHC 799 | 4/3/17 14:18 | 6/29/17 11:17 | 42 | 21.2 | |
| | SHC 863 | 4/3/17 14:18 | 6/29/17 11:17 | 47 | 23.9 | |
| DPR14 WIPP East Loading Dock | SHC 645 | 4/3/17 14:22 | 6/29/17 11:20 | 45 | 22.3 | 21.6 |
| | SHC 715 | 4/3/17 14:22 | 6/29/17 11:20 | 41 | 20.5 | |
| | SHC 849 | 4/3/17 14:22 | 6/29/17 11:20 | 44 | 22.0 | |
| DPR16 Loving Weigh Station | SHC 724 | 4/3/17 14:25 | 6/29/17 11:22 | 63 | 31.2 | 29.6 |
| | SHC 725 | 4/3/17 14:25 | 6/29/17 11:22 | 55 | 28.0 | |
| | SHV 169 | 4/3/17 14:25 | 6/29/17 11:22 | 61 | 29.8 | |
| DPR17 Malaga VFD | SHD 893 | 4/3/17 14:29 | 6/29/17 11:26 | 56 | 26.9 | 27.1 |
| | SHD 895 | 4/3/17 14:29 | 6/29/17 11:26 | 51 | 24.9 | |
| | SHD 916 | 4/3/17 14:29 | 6/29/17 11:26 | 61 | 29.4 | |
| DPR18 North Access Road | SHC 744 | 4/3/17 14:33 | 6/29/17 11:30 | 53 | 25.9 | 25.7 |
| | SHD 928 | 4/3/17 14:33 | 6/29/17 11:30 | 51 | 24.8 | |
| | SHD 983 | 4/3/17 14:33 | 6/29/17 11:30 | 53 | 26.4 | |
| DPR19 Southeast Control | SIR 715 | 4/3/17 14:37 | 6/29/17 11:32 | 61 | 29.4 | 28.5 |
| | SIR 753 | 4/3/17 14:37 | 6/29/17 11:32 | 70 | 33.4 | |
| | SIR 588 | 4/3/17 14:37 | 6/29/17 11:32 | 47 | 22.5 | |
| DPR20 NMED Office Interior | SHC 751 | 4/5/17 14:55 | 6/29/17 11:35 | 53 | 27.6 | 29.6 |
| | SHD 902 | 4/5/17 14:55 | 6/29/17 11:35 | 61 | 32.3 | |
| | SHD 934 | 4/5/17 14:55 | 6/29/17 11:35 | 60 | 28.8 | |
| DPR21 NMED Office Exterior | SIR 543 | 4/5/17 14:59 | 6/29/17 11:39 | 42 | 20.6 | 22.6 |
| | SHD 692 | 4/5/17 14:59 | 6/29/17 11:39 | 45 | 22.9 | |
| | SHD 979 | 4/5/17 14:59 | 6/29/17 11:39 | 47 | 24.2 | |
| DPR22 Brantley | SIR 756 | 4/3/17 14:41 | 6/29/17 11:41 | 52 | 24.6 | 27.5 |
| | SIR 757 | 4/3/17 14:41 | 6/29/17 11:41 | 61 | 29.3 | |
| | SIR 691 | 4/3/17 14:41 | 6/29/17 11:41 | 60 | 28.6 | |
| DPR23 Carlsbad Bypass | SIR 628 | 4/3/17 14:45 | 6/29/17 11:43 | 45 | 21.1 | 24.0 |
| | SIR 551 | 4/3/17 14:45 | 6/29/17 11:43 | 44 | 20.8 | |
| | SIR 735 | 4/3/17 14:45 | 6/29/17 11:43 | 64 | 30.2 | |
| DPR24 South Access Rd | SIR 450 | 4/3/17 14:48 | 6/29/17 11:46 | 61 | 29.0 | 26.4 |
| | SIR 710 | 4/3/17 14:48 | 6/29/17 11:46 | 51 | 24.2 | |
| | SIR 438 | 4/3/17 14:48 | 6/29/17 11:46 | 55 | 26.1 | |

| Location | Electret ID | Start Date and Time | Stop Date and Time | Voltage Drop | Quarterly Dose Normalized (mrad) | Avg Quarterly Dose (mrad) |
|---------------|-------------|---------------------|--------------------|--------------|----------------------------------|---------------------------|
| DPR25 Jal Hwy | SIR 648 | 4/3/17 14:50 | 6/29/17 11:48 | 59 | 27.8 | 60.3 |
| | SIR 639 | 4/3/17 14:50 | 6/29/17 11:48 | 88 | 41.9 | |
| | SIR 451 | 4/3/17 14:50 | 6/29/17 11:48 | 231 | 111.2** | |