

New Mexico is characterized by high mountains, extensive plains and plateaus, river gorges, and broad valleys. Figure 1-1 locates New Mexico with reference to her neighbors and shows the principal towns, rivers, and road networks. The state's climate of the State is arid to semiarid. Average annual precipitation ranges from less than eight inches in desert valleys to over 30 inches in the mountains. About half the annual precipitation is received during brief but intense summer storms. Much of the winter precipitation falls as snow in the high mountains and as snow or rain at lower elevations. Statewide, the annual average precipitation is much less than evaporation from open water surfaces (Bureau of Reclamation 1976). Land surface elevations in New Mexico vary from just over 13,000 feet in the northern mountains to just under 3,000 feet at the Texas border in the southeast.

New Mexico is the fifth largest of the fifty states, with a total area of 121,598 square miles. Of this total, 34.2 % are federal lands, 11.8% are State lands, 9.4% are Native American lands, and 44.6% is privately owned. In 1982, about 84 % of all land in New Mexico was used for grazing (Soil and Water Conservation Division 1986). Just over 80% of non-federal New Mexico land was used for pasture and rangeland in 1982, while urban and built-up land constituted about 1.25% of the State's non-federal land area (Williams 1986). In 1992, pasture and rangeland occupied about 82% of all land (Agriculture Statistics Service 1992). Cropland uses about 3.3% of all land of which about 56% of that amount was used for irrigated agriculture (Lanceford 1992).

From a count of just over 1.5 million in 1990, the population increased 2.75% due to migration from out-of-State, and 13.5% from in-State natural increase (births minus deaths) to a 2000 total of just over 1.8 million people (Bureau of Business and Economic Research 2001). The population is expected to reach about two million within the next three years (US Census Bureau 2000). Despite a rapid rate of increase compared to the nation, the State remains sparsely settled overall.

1 Population centers are associated with available surface and ground water. While some communities  
2 are located over large underground aquifers, the environmentally sensitive river valleys and flood plains,  
3 which often contain shallow aquifers, are foci for population density (Williams 1986). Albuquerque, on the  
4 Rio Grande near the center of the ~~S~~state, is by far the largest city. Containing one-quarter of the total ~~S~~state  
5 population within its metropolitan area, it is currently estimated to be more than three times larger than ei-  
6 ther of the next two cities in size, Las Cruces near the Texas border to the south and Santa Fe to the north.

7 New Mexico has a small and relatively poor regional economy. In 2002 for instance, New Mexico  
8 had a per capita personal income of \$23,081. This rating ranked 48th out of the entire United States and was  
9 76 percent of the national average, \$30,413 (Bureau of Economic Analysis 2003). Services and govern-  
10 ment-affiliated jobs are the leading non-agricultural employment sectors, followed by wholesale/retail trade.

11 Manufacturing is fifth, providing over six percent of jobs. New Mexico also has a diversified natural re-  
12 source extraction industry. The largest industries in 1999 were services, 27.7 percent of earnings; state and  
13 local government, 17.9 percent; and retail trade, 10.7 percent. Of the industries that accounted for at least 5  
14 percent of earnings in 1999, the slowest growing from 1998 to 1999 was federal civilian government (6.6  
15 percent of earnings in 1999), which decreased 1.4 percent; the fastest ~~was~~~~were~~ finance, insurance, and real  
16 estate (5.4 percent of earnings in 1999), which increased 7.4 percent (Bureau of Business and Economic Re-  
17 search 2000).

18 In New Mexico, the State estimates that there are approximately 6,000 miles of perennial rivers and  
19 streams. EPA has issued a preliminary estimate of 110,741 miles of rivers, streams, ditches, and canals for  
20 New Mexico. Of these, 8,682 are classified perennial (Office of Water 1993). New Mexico estimated the  
21 length of its perennial streams by the use of a map wheel on a full set of United States Geological Survey's  
22 (USGS) 1:24000-scale topographic maps. Only the cartographic symbols for perennial streams were used.  
23 EPA relied on its *Reach File 3* (RF3) database, created from the USGS's Digital Line Graph (DLG) data-  
24 base. This dataset was in turn developed from 1:100000-scale maps. The difference in map scales may ac-

1 count for much of the difference in total perennial stream lengths. Additionally, since the two agencies may  
2 have used maps which were updated from satellite or aerial photos taken at different times, potentially at  
3 different times of the year, there is further reason to believe the estimates might differ (Office of Water  
4 1993).

5 The State has identified approximately 175 freshwater, publicly accessible lakes and reservoirs, ap-  
6 proximately fifty of which are over 200 acres in area. According to EPA's preliminary estimate, New Mex-  
7 ico has 1,256 lakes (Office of Water 1993).

8 Figure 1-2 shows the Sstate's eleven water quality basins. New Mexico's surface waters include  
9 headwater portions of three of the nation's principal drainage systems: the San Juan River Basin and Lower  
10 Colorado River Basin contributes to the Colorado River; drainage from the Arkansas-White-Red River Ba-  
11 sin contributes to the Mississippi River; and the three Rio Grande basins and the Pecos River Basin contrib-  
12 ute discharge to the Gulf of Mexico. Other streams in the Sstate are in topographically closed basins and  
13 drain internally (Water Quality Control Commission 1974).

14 Total annual stream flow averages over 5.7 million acre-feet, of which precipitation falling within  
15 the Sstate boundaries contributes 3.3 million acre-feet. Other states, principally Colorado via the Rio  
16 Grande and the San Juan River, contribute the rest. Downstream states receive 3.6 million acre-feet from  
17 New Mexico (Bureau of Reclamation 1976).

18 The quality of surface water varies from place to place. Generally, water originating in the high  
19 mountains is of excellent quality. At lower elevations, water is usually of lesser quality. High quality water  
20 is subjected to degradation as it flows downstream due to evapotranspiration, evaporation, anthropogenic  
21 pollutant loading, and its application to beneficial uses. Background information on surface waters is pro-  
22 vided in Appendix A.

23 New Mexico's hydrogeology is highly variable and complex, and the quality and availability of  
24 ground water also varies from place to place. Sedimentary deposits (mainly sandstone, limestone, or uncon-

1 solidated sand and gravel) are the most productive aquifers. Valley-fill aquifers of major importance occur  
2 along the Rio Chama, the San Juan **River**, and **the** Pecos Rivers. These aquifers are typically less than 200  
3 feet thick and commonly provide water containing less than 1,000 milligrams per liter of total dissolved sol-  
4 ids. A major basin-fill aquifer occurs in the Rio Grande Valley where basin-fill deposits attain thicknesses  
5 of up to 20,000 feet, although only the uppermost several thousand feet contain fresh water. This aquifer  
6 provides the only source of water for Albuquerque and a partial source for Santa Fe. Significant basin-fill  
7 aquifers also occur in the southwestern area of the state. The High Plains aquifer (primarily Ogallala forma-  
8 tion) is a major water source along the eastern border of New Mexico. The Ogallala formation, the bounda-  
9 ries of which are roughly from Nebraska to New Mexico, is an example of a shared water source where  
10 states need to coordinate their efforts in terms of ground water pollution. Major sandstone aquifers are lo-  
11 cated in the San Juan Basin in the northwestern part of the **Sstate**, and limestone aquifers are of importance  
12 in the southeastern part and locally in the central and western parts.

13 Many New Mexico aquifers are highly vulnerable to contamination from surface discharges. Main-  
14 tenance of surface water quality is necessary to protect the **Sstate's** ground water quality. The key risk factor  
15 for aquifer contamination is a shallow water table combined with a significant point or nonpoint source of  
16 pollution. In the urban areas of our state, abandoned, unplugged domestic wells (such as in Las Cruces and  
17 the South Valley in Bernalillo County) also add to the vulnerability to contamination. Other factors affect-  
18 ing ground water vulnerability include preferential flow pathways, clay and organic matter content of soils,  
19 and oxidation-reduction potential.

20 The magnitude of ground water supplies in the **Sstate** is estimated to be 20 billion acre-feet. Of this  
21 amount, an estimated three billion acre-feet of fresh water and 1.4 billion acre-feet of slightly saline water  
22 are recoverable. In some areas with significant ground water use, ground water levels have declined due to  
23 withdrawals in excess of recharge (Bureau of Reclamation 1976).


24 New Mexico's ground water resources are of vital importance in sustaining life, and must be pre-

1 served for both present and futures generations. Approximately 90% of the total population of the Sstate  
2 depends on ground water for drinking water. Eighty-one percent (81%) of the population areis served by  
3 public systems with water derived from ground water sources. At least 150,000 people depend on private  
4 wells for drinking water. Nearly half of the total water annually withdrawn for all uses in New Mexico, in-  
5 cluding agriculture and industry, is ground water, the only practicable source of water in many areas of the  
6 Sstate. About 4.4 billion acre-feet of recoverable fresh and slightly saline water are estimated to be present in  
7 underground storage in New Mexico. Overall, the quality of these waters is assumed to be good, although  
8 there are significant pollution problems known to affect certain areas throughout the Sstate. A comprehen-  
9 sive survey of the Sstate's ground water quality has not been done, so a quantitative statement concerning  
10 ground water quality cannot be made.

11 The Sstate's surface water supply is almost fully applied to beneficial uses under existing rights or  
12 reserved for specified beneficial uses under water rights filings. The State Engineer had declared 33 under-  
13 ground water basins.

14 Water uses depend on both surface and ground water supplies. In 1990, total surface and ground wa-  
15 ter withdrawals totaled 4.2 million acre-feet and depletions (that portion of withdrawals permanently re-  
16 moved from the water supply) amounted to almost 2.6 million acre-feet. Of these totals, agriculture, exclud-  
17 ing reservoir and stock pond evaporation, accounted for 3.4 million acre-feet (80%) of withdrawn water and  
18 just under two million acre-feet (75%) of the depletion. Public and private water supply wells extracted ap-  
19 proximately 0.3 million acre-feet in 1990, and so accounted for only eight percent of total withdrawals.  
20 Ground water comprised 89% of the public and private water withdrawals and of agricultural withdrawals.  
21 The relative distribution of water uses can be expected to change in future years, as the growing sectors of  
22 the economy and an increasing population exert continued demands on this limited resource (Wilson 1992).


1 Figure 1-1. Map of New Mexico



2

1  
2

**Figure 1-2. Water Quality Basins in New Mexico**



3

## 1 REFERENCES: NEW MEXICO: A Geographical Description

2  
3 Bureau of Business & Economic Research. 2000. *BEARFACTS*, available via the Internet at:  
4 <http://www.unm.edu/~bber/statabst/labfsumm.htm> .

5  
6 Bureau of Business & Economic Research. 2001. Demographic Analysis and Projection Service. U.S. and  
7 State Population Estimates from the U.S. Bureau of the Census. Albuquerque, New Mexico. Data  
8 released December 29, 1999 by the U.S Dept. of Commerce, Bureau of the Census. Available via  
9 the Internet at <http://www.unm.edu/~bber/demo/usto9096.htm>.

10  
11 Bureau of Economic Analysis. 2003. Regional Economic Accounts – New Mexico 1991 –2001. Available  
12 on the internet at  
13 <http://www.bea.gov/beat/regional/bearfacts/action.cfm?fips=35000&areatype=STATE>

14  
15 Bureau of Reclamation in cooperation with the State of New Mexico. 1976. *New Mexico State resources*  
16 *assessment for planning purposes*. United States Department of the Interior. 218 pages.

17  
18 Robert Lanceford. 1992. *Sources of Irrigation Water and Irrigated and Dry Cropland in New Mexico by*  
19 *County 1990 - 1992*. Agricultural Experiment Station, Cooperative Extension Service, College of  
20 Agriculture and Home Economics. Technical Report 16. New Mexico State University. Las Cru-  
21 ces, New Mexico.

22  
23 New Mexico Agricultural Statistics Service. 1992. *New Mexico Agricultural Statistics, 1992*. New Mexico  
24 Department of Agriculture. Las Cruces, New Mexico. 72 pages.

25  
26 Office of Water, United States Environmental Protection Agency. 1993. *Total Waters Estimates for*  
27 *United States Lakes and Streams*. Monitoring Branch. Assessment and Watershed Protection Divi-  
28 sion Office of Wetlands, Oceans and Watersheds.

29  
30 New Mexico Soil and Water Conservation Division. 1986 . *New Mexico soil and water conservation plan*.  
31 Santa Fe, New Mexico. 22 pages.

32  
33 US Census Bureau. 2000. *Projections of the Total Population of States: 1995 to 2025*. Available via the  
34 Internet at <http://www.census.gov/population/projections/state/stpjpop.txt>.

35  
36 Water Quality Control Commission. 1974. *Basin Plans*. Series of publications for each of the eleven  
37 WQCC-designated stream -1976 basins in New Mexico. Santa Fe, New Mexico. {See References  
38 for Chapter Two for individual document citations.}

39  
40 Jerry L. Williams. 1986. *New Mexico in Maps*. Second Edition. University of New Mexico Press. Albu-  
41 querque, New Mexico. 177 pages.

42  
43 Wilson, Brian. 1992. New Mexico State Engineer Office. *Water Use by Categories in New Mexico Coun-*  
44 *ties and River Basins and Irrigated Acreage in 1990*. Technical Report 47, July, 1992. Santa Fe,  
45 New Mexico. 141 pages.