



NEW MEXICO
ENVIRONMENT DEPARTMENT



SUSANA MARTINEZ
Governor
JOHN A. SANCHEZ
Lieutenant Governor

Harold Runnels Building
1190 St. Francis Drive
P.O. Box 5469, Santa Fe, NM 87502-5469
Phone (505) 827-2918 Fax (505) 827-2965
www.nmenv.state.nm.us

RYAN FLYNN
Cabinet Secretary
BUTCH TONGATE
Deputy Secretary

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

August 8, 2014

Casey Vander Dussen, Owner/Operator
3-V Dairy
4807 Graves Rd.
Roswell, NM 88203

RE: Discharge Permit Renewal and Modification, DP-791, 3-V Dairy

Dear Mr. Vander Dussen:

On June 21, 2013, the New Mexico Environment Department (NMED) proposed renewal of the Ground Water Discharge Permit for **3-V Dairy**, DP-791, pursuant to Subsection H of 20.6.2.3108 NMAC. A draft Discharge Permit Renewal and Modification was sent to you at that time. In response, NMED received comments from the facility on July 22, 2013. All of the comments were considered by NMED. Comments requesting permit revisions not in accordance with the requirements of 20.6.6 NMAC are not addressed by this Discharge Permit. The permittee may file a petition with the New Mexico Water Quality Control Commission (WQCC) requesting a variance from site specific requirements of 20.6.6 NMAC.

NMED issues the enclosed Discharge Permit Renewal and Modification, DP 791, to Casey Vander Dussen, Owner/Operator (permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978 §§74-6-1 through 74-6-17, and the WQCC Regulations, 20.6.2 and 20.6.6 NMAC.

The Discharge Permit contains requirements that shall be complied with by the permittee and are enforceable by NMED pursuant to Sections 20.6.2.3104 and 20.6.6.8 NMAC, WQA, and NMSA 1978 §74-6-5 and §74-6-10. The discharge shall be managed in accordance with all applicable requirements of the Dairy Rule and this Discharge Permit. Issuance of this Discharge Permit does not relieve the permittee of the responsibility to comply with the WQA, WQCC

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage)

For delivery information visit our website at www.usps.com

OFFICIAL U

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	

Casey Vander Dussen, Owner
3-V Dairy
4807 Graves Rd.
Roswell, NM 88203

PS Form 3800, August 2006

See Rev

7008 1830 4178 4303

Casey Vander Dussen, Owner/Operator, DP-791
August 8, 2014
Page 2 of 2

Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

You will be invoiced under separate cover for the remaining permit fee balance of \$2300.00.

Pursuant to Subsection I of NMSA 1978 § 74-6-5, the term of this Discharge Permit shall be for the fixed term of five years. The term of this Discharge Permit will end on August 8, 2019.

Pursuant to Subsection A of 20.6.6.10 NMAC, you are required to submit an application for renewal or renewal/modification to NMED one year prior to the end of the Discharge Permit term.

If you have any questions, please contact Nancy McDuffie at (505) 222-9523 or Gary Westerfield, Agricultural Waste Team Leader, at (505) 827-2713. Thank you for your cooperation during this Discharge Permit review.

Sincerely,



Jerry Schoeppner, Chief
Ground Water Quality Bureau

JS:KK/njm

Encs: Discharge Permit Renewal and Modification, DP-791

cc: ✓ Agricultural Waste Team Leader, NMED-GWQB (permit)
✓ District Manager, NMED District III (permit – electronic copy)
✓ NMED Roswell Field Office (permit – electronic copy)
✓ John Romero, Office of the State Engineer (permit – electronic copy)
✓ Bart Faris, Remediation Oversight Section, NMED-GWQB (permit – electronic copy)
Loney Ashcraft, Ashcraft Consulting, Inc., P.O. Box 623, Roswell, NM 88202 (permit)

**GROUND WATER DISCHARGE PERMIT - RENEWAL AND MODIFICATION
EXISTING DAIRY FACILITY with a LAND APPLICATION AREA
3-V Dairy, DP-791**

I. INTRODUCTION AND SUMMARY

The New Mexico Environment Department (NMED) issues this Discharge Permit Renewal and Modification (Discharge Permit), DP-791, to Casey Vander Dussen (permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978, §§ 74-6-1 through 74-6-17, and the New Mexico Water Quality Control Commission (WQCC) Regulations, 20.6.2 and 20.6.6 NMAC.

NMED's purpose in issuing this Discharge Permit is to control the discharge of water contaminants from 3-V Dairy (dairy facility) for the protection of ground water and those segments of surface water gaining from ground water inflow, for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health.

The activities which produce the discharge, the location of the discharge, and the quantity, quality and flow characteristics of the discharge are briefly described as follows:

A maximum daily discharge volume of 120,000 gallons per day (gpd) of wastewater may be discharged from the production area. Wastewater flows to a concrete-lined sump and is pumped through a screen solids separator into one of two synthetically lined impoundments for solids settling (proposed for construction) prior to transfer to the synthetically lined wastewater storage impoundment for storage prior to land application. Wastewater is land applied by flood, center pivot and linear sprinkler irrigation to up to 378 acres of irrigated cropland under cultivation. The modification consists of decreasing in the land application area from 562 acres to 378 acres. The discharge contains water contaminants or toxic pollutants which may be elevated above the standards of Section 20.6.2.3103 NMAC.

The dairy facility is located at 4805 Graves Road, approximately five miles southeast of Roswell, in Section 19, Township 11S, Range 25E and Sections 23 and 24, Township 11S, Range 24E, Chaves County. Ground water most likely to be affected is at a depth of approximately 20 to 35 feet and had a pre-discharge total dissolved solids concentration of approximately 2,950 value milligrams per liter.

The original Discharge Permit was issued on June 28, 1991, and subsequently renewed and/or modified on May 18, 1992, March 19, 1998, and March 28, 2005. The application consists of the materials submitted by the permittee dated January 21, 2010, and materials contained in the administrative record associated with issuance of this Discharge Permit. The discharge shall be managed in accordance with all applicable requirements of the Dairy Rule (20.6.6 NMAC) and this Discharge Permit.

Issuance of this Discharge Permit does not relieve the permittee of the responsibility to comply with the WQA, WQCC Regulations, and any other applicable federal, state and/or local laws and regulations, such as zoning requirements and nuisance ordinances.

The following acronyms and abbreviations may be used in this Discharge Permit:

Abbreviation	Explanation	Abbreviation	Explanation
Cl	chloride	NO ₃ -N	nitrate-nitrogen
gpd	gallons per day	S	Sulfur
LADS	land application data sheet(s)	SO ₄	Sulfate
mg/L	milligrams per liter	TDS	total dissolved solids
NMAC	New Mexico Administrative Code	TKN	total Kjeldahl nitrogen
NMED	New Mexico Environment Department	WQA	New Mexico Water Quality Act
NMP	Nutrient management plan	WQCC	Water Quality Control Commission
NMSA	New Mexico Statutes Annotated		

II. FINDINGS

In issuing this Discharge Permit, NMED finds:

1. The permittee is discharging from a facility that meets the definition of “dairy facility” and is subject to the Dairy Rule (20.6.6 NMAC). This dairy facility meets the definition of “existing dairy facility.”
2. The permittee is discharging effluent or leachate from the dairy facility that may move directly or indirectly into ground water within the meaning of Section 20.6.2.3104 NMAC.
3. The permittee is discharging effluent or leachate from the dairy facility that may move into ground water of the State of New Mexico which has an existing concentration of 10,000 milligrams per liter or less of total dissolved solids within the meaning of Subsection A of 20.6.2.3101 NMAC.
4. The discharge from the dairy facility is not subject to any of the exemptions of Section 20.6.2.3105 NMAC.
5. Data collected from on-site monitoring wells document ground water contamination attributed to one or more sources at this dairy facility. Ground water quality standards for NO₃-N, TDS and Cl have been exceeded according to the criteria of Sections 20.6.2.3101 and 20.6.2.3103 NMAC.
6. The Discharge Permit for this facility last issued on March 28, 2005 (before the effective date of the Dairy Rule of December 31, 2011) required the wastewater impoundment system to have the capacity to store the volume of wastewater discharged at the maximum daily discharge volume for a minimum of 60 days, while preserving two feet of freeboard.

7. The dairy facility was existing as of the effective date of the Dairy Rule (December 31, 2011) and measures the volume of wastewater discharged to a wastewater impoundment(s) using a totalizing flow meter installed on the discharge line(s) from all wastewater sources to the wastewater impoundment(s).
8. As of the effective date of this Discharge Permit, the following monitoring wells are monitored pursuant to the Stage 1 Abatement Plan for this dairy facility and are not associated with the monitoring requirements of this Discharge Permit.
 - a) **3-V MW-8** -- located at the southeast corner of the original flood irrigated 3-V Field 5.
 - b) **3-V MW-9** -- located north of the corrals towards the west end of the corrals.
9. This Discharge Permit contains requirements associated with the following potential contaminant sources as identified in the application and the administrative record as of the effective date of this Discharge Permit:
 - a) Wastewater Impoundments
 - i. **Wastewater Storage Impoundment - North** - authorized for use by this Discharge Permit.
 - ii. **East Settling Impoundment** - authorized for use by this Discharge Permit.
 - iii. **West Settling Impoundment** - authorized for use by this Discharge Permit.
 - iv. **East Wastewater Impoundment (Original)** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule; has been closed and is subject to post-closure ground water monitoring requirements.
 - b) Stormwater Impoundments
 - i. **Runoff Pond** - authorized for use by this Discharge Permit.
 - ii. **Original Runoff Pond** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule; subject to closure and post-closure ground water monitoring requirements.
 - c) Fields within the Land Application Area
 - i. **3-V Field 1** - authorized for use by this Discharge Permit.
 - ii. **3-V Field 2** - authorized for use by this Discharge Permit.
 - iii. **3-V Field 4** - authorized for use by this Discharge Permit.
 - iv. **3-V Field 5** - authorized for use by this Discharge Permit.
 - v. **TV-1** - authorized for use by this Discharge Permit.
 - vi. **TV-2** - authorized for use by this Discharge Permit.
 - vii. **3-V Field 3** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule; subject to closure and post-closure ground water monitoring requirements. This field was previously known as South Springs 3.

- viii. **Miller Farm 1** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule, but has never received wastewater.
- ix. **Miller Farm 2** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule, but has never received wastewater.
- x. **Miller Farm 3** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule, but has never received wastewater.
- xi. **Miller Farm 4** - not authorized for use by this Discharge Permit; was authorized for use by the last Discharge Permit issued prior to the effective date of the Dairy Rule, but has never received wastewater.

III. APPLICABLE RULES

Sections 20.6.2.3000 through 20.6.2.3114 NMAC and Part 20.6.6 NMAC (Dairy Rule) apply to discharges specific to dairy facilities and their operations.

IV. DISCHARGE PERMIT REQUIREMENTS

The permittee is authorized to discharge water contaminants pursuant to this Discharge Permit which contains requirements authorized or specified by the Dairy Rule. The permittee shall comply with the Dairy Rule and this Discharge Permit, which are enforceable by NMED. The permittee is authorized to discharge water contaminants subject to the following requirements:

AUTHORIZATION TO DISCHARGE

1. The permittee is authorized to discharge up to 120,000 gpd of wastewater from the production area. Wastewater flows to a concrete-lined sump and is pumped through a screen solids separator into one of two synthetically lined impoundments for solids settling (proposed for construction) prior to transfer to the synthetically lined wastewater storage impoundment for storage prior to land application. Wastewater is land applied by flood, center pivot and linear sprinkler irrigation to up to 378 acres of irrigated cropland under cultivation. The modification consists of decreasing in the land application area from 562 acres to 378 acres.
2. The permittee is authorized to use the following impoundments for the following purposes in accordance with Subsection B of 20.6.6.20 NMAC.
 - a) **Wastewater Storage Impoundment - North** – authorized to receive wastewater for storage prior to land application. This impoundment exists as of the effective date of this Discharge Permit and is synthetically lined with 40-mil HDPE. This impoundment is located south of the corrals and north of the original impoundment system.

- b) **East Settling Impoundment** – authorized to receive wastewater for solids settling prior to transfer to the Wastewater Storage Impoundment. This impoundment is proposed for construction with a 60-mil HDPE (synthetic) liner. East and West Settling Impoundments are proposed to be constructed in the location of the original West Wastewater Storage Impoundment. This impoundment will be located south of Wastewater Storage Impoundment – North.
 - c) **West Settling Impoundment** – authorized to receive wastewater for solids settling prior to transfer to the Wastewater Storage Impoundment. This impoundment is proposed for construction with a 60-mil HDPE (synthetic) liner. East and West Settling Impoundments are to be constructed in the location of the original West Wastewater Storage Impoundment. This impoundment will be located south of Wastewater Storage Impoundment – North.
 - d) **Runoff Pond** – authorized to collect stormwater for transfer to the wastewater storage impoundment or to the land application area distribution system. This impoundment system exists as of the effective date of this Discharge Permit and is synthetically lined. This impoundment is located east of the of the production area.
3. The permittee is authorized to apply wastewater and stormwater to all fields within the land application area in accordance with Subsections B, C and I of 20.6.6.21 NMAC. The land application area consists of the following fields for a total land application area of 378 acres.
- a) **3-V Field 1** – consists of eight acres; application by flood irrigation. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater as of the effective date of this Discharge Permit. This field is located west of the parlor and north of the entrance, and was previously known as South Springs 1.
 - b) **3-V Field 2** – consists of 14 acres; application by flood irrigation. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater and/or stormwater as of the effective date of this Discharge Permit. This field is located south of the entrance and south of 3-V Field 1, and was previously known as South Springs 2.
 - c) **3-V Field 4** – consists of 14 acres; application by flood irrigation. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater and/or stormwater as of the effective date of this Discharge Permit. This field is located west of 3-V Field 5, and was previously known as South Springs 4.
 - d) **3-V Field 5** – consists of 36 acres; application by center pivot. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater and/or stormwater as of the effective date of this Discharge Permit. This field is made up from portions of formerly flood irrigated fields

- known as South Springs 3 and 5, and is located south and east of the wastewater storage impoundment system.
- e) **TV-1** – consists of 96 acres; application by linear sprinkler. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater and/or stormwater as of the effective date of this Discharge Permit. This field is located approximately a half-mile west of the production area and north of TV-2, and was previously known as Tom Visser Farm 1.
 - f) **TV-2** – consists of 210 acres; application by linear sprinkler. This field was authorized by the last Discharge Permit prior to the effective date of the Dairy Rule (December 31, 2011) to receive wastewater and/or stormwater and has received wastewater and/or stormwater as of the effective date of this Discharge Permit. This field is located approximately a half-mile west of the production area and south of TV-1, and was previously known as Tom Visser Farm 2.

DAIRY RULE TRANSITION REQUIREMENTS

- 4. The permittee shall have 90 days from the effective date of this Discharge Permit (**November 6, 2014**) to submit all the necessary information to comply with Sections 20.6.6.10 through 20.6.6.13 NMAC, in accordance with Subsection D of 20.6.6.35 NMAC. The permittee shall submit the necessary information by completing the application form for Renewal and/or Modification located at the following address:
 - <http://www.nmenv.state.nm.us/gwb/NMED-GWQB-dairies.htm>

The following sections of the application form for renewal and/or modification shall be completed, and the form shall be signed by the permittee and notarized prior to submission.

- a) Introduction – *Applicant's Signature and Notary Certification only*
- b) Part I.A
- c) Part II.A.1
- d) Part II.A.2(a) and (b)
- e) Part II.B.1 through 5, and 7
- f) Part II.C
- g) Part II.D.3(a) and (b)
- h) Part II.E.1 and 3
- i) Part II.F
- j) Part IV.A
- k) Part IV.B

ENGINEERING AND SURVEYING REQUIREMENTS

- 5. The permittee shall comply with the requirements of Section 20.6.6.17 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.17 NMAC.

6. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p>Flow Metering Plans:</p> <p>To achieve compliance with Subsection J of 20.6.6.20 NMAC, submit a description of the location and installation/construction information for a flow meter(s) to measure the following:</p> <ul style="list-style-type: none"> the volume of stormwater transferred from the stormwater impoundment to the land application distribution system (pursuant to Subsection H of 20.6.6.21 NMAC)* <p>* If stormwater is transferred to the wastewater impoundment(s) and is not applied directly to the land application area, installation and use of this meter(s) is not required.</p>	November 6, 2014	20.6.6.17.C(7) NMAC

OPERATIONAL REQUIREMENTS

7. The permittee shall comply with the requirements of Sections 20.6.6.20 and 20.6.6.21 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.20 and 20.6.6.21 NMAC.
8. The permittee shall provide written notice to NMED regarding any changes to the presence of lactating cows and/or the status of wastewater discharges at the facility in accordance with Subsection A of 20.6.6.20 NMAC (summarized in the table below).

Activity	Notification of Estimated Date	Verification of Actual Date
Removal of Lactating Cows	Not required	Within 30 days of removal
Reintroduction of Lactating Cows	Not required	Within 30 days of reintroduction
Cessation of wastewater discharge	Not required	Within 30 days of cessation of discharge
Recommencement of Discharge	Minimum 30 days prior to recommencement	Within 30 days of recommencement

9. The permittee shall install and use the following flow meter(s) in accordance with Subsections J, K, L and N of 20.6.6.20 NMAC, and Subsections G and H of 20.6.6.21 NMAC.

- a) **SW Meter** – to be located on the transfer line from the Runoff Pond to the land application area to measure the volume of stormwater applied to each field in the land application area. If stormwater is transferred to the wastewater impoundment and is not applied directly to land application fields, then installation and use of this meter is not required.

Confirmation of flow meter installation shall be completed in accordance with Subsection J of 20.6.6.20 NMAC.

10. Pursuant to Subsection D of 20.6.6.35 NMAC, the permittee shall have 90 days from the effective date of this Discharge Permit (**November 6, 2014**) to submit documentation in accordance with Subsection M of 20.6.6.20 NMAC to demonstrate that the existing flow meter(s) meets the requirements of Subsection M of 20.6.6.20 NMAC.
11. The permittee is authorized to use the following existing flow meter(s) provided that the requirements of Subsection M of 20.6.6.20 NMAC have been met.
 - a) **Parlor Discharge Meter** – located on the line between the concrete-lined sump and the screen solids separator to measure the volume of wastewater discharged from the production area to wastewater impoundment system.
 - b) **LAA Meter** – located on the discharge line from Wastewater Storage Impoundment-North to the land application area to measure the volume of wastewater discharged to each field in the land application area.
12. The permittee is authorized, pursuant to Subsection S of 20.6.6.20 NMAC, to land apply manure solids and composted material to the land application area. Manure solids and composted material shall be applied in accordance with the Nutrient Management Plan (NMP) required by Subsection I of 20.6.6.21 NMAC.
13. The permittee is authorized to blend wastewater with fresh irrigation water for land application using any of the methods provided in Subsection D of 20.6.6.21 NMAC. Fresh water may be added to a wastewater impoundment prior to land application in accordance with Subsection D of 20.6.6.21 NMAC.
14. The permittee shall remove crops from the following fields within the land application area using the following methods in accordance with Subsection I and J of 20.6.6.21 NMAC. Crops may be grazed prior to and between mechanical harvests, however, nitrogen removal credit shall not be taken for grazing activities unless a grazing plan is developed and submitted in accordance with Subsections I and J of 20.6.6.21 NMAC.
 - a) **3-V Field 1** – crops shall be harvested mechanically.
 - b) **3-V Field 2** – crops shall be harvested mechanically.
 - c) **3-V Field 4** – crops shall be harvested mechanically.
 - d) **3-V Field 5** – crops shall be harvested mechanically.
 - e) **TV-1** – crops shall be harvested mechanically.
 - f) **TV-2** – crops shall be harvested mechanically.

The permittee shall submit an application for Discharge Permit Modification to NMED for any proposed changes to the method(s) of crop removal for any field within the land application area as required by Subsection K of 20.6.6.21 NMAC.

15. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Impoundment Construction or Improvement:</u></p> <p>i) Complete construction of the new solids settling impoundments, in accordance with construction plans and specifications, and supporting design calculations.</p> <p>ii) Submit the Construction Certification Report verifying construction pursuant to Subsection C of 20.6.6.17 NMAC.</p>	<p>August 8, 2015</p> <p>Within 90 days of completed impoundment construction.</p>	20.6.6.20.E NMAC
B.	<p><u>Flow Meter Installation:</u></p> <p>i) Complete installation of flow meter(s).</p> <p>ii) Submit confirmation of installation.</p>	<p>January 5, 2015</p> <p>February 4, 2015</p>	20.6.6.20.J NMAC
C.	<p><u>Scaled Map of Dairy Facility – Updates:</u></p> <p>Following completion of any additions or changes to the dairy facility which affect the items listed in Subsection U of 20.6.6.20 NMAC, the permittee shall update and resubmit the facility map.</p>	Within 90 days of any addition or change.	20.6.6.20.V NMAC
D.	<p><u>Nutrient Management Plan:</u></p> <p>Develop and submit annual updates to the NMP.</p>	Annually: May 1	20.6.6.21.I NMAC
E.	<p><u>Backflow Prevention:</u></p> <p>i) Complete installation of backflow prevention methods or devices.</p> <p>ii) Submit confirmation of installation.</p>	<p>November 6, 2014</p> <p>February 4, 2015</p>	20.6.6.21.M NMAC
F.	<p><u>Backflow Prevention by Reduced Pressure Principle Backflow Prevention Assembly – Inspection and Maintenance:</u></p> <p>Submit copies of inspection and maintenance records and test results for each RP device, should the device be used to satisfy the requirements of Subsection M of 20.6.6.21 NMAC.</p>	Annually: May 1	20.6.6.21.N NMAC

GROUND WATER MONITORING REQUIREMENTS

- 16. The permittee shall comply with the requirements of Section 20.6.6.23 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.23 NMAC.
- 17. Monitoring wells shall be constructed and completed in accordance with Subsection D of 20.6.6.23 NMAC.
- 18. Monitoring wells shall be permanently identified in accordance with Subsection C of 20.6.6.23 NMAC.
- 19. Pursuant to Subsection D of 20.6.6.35 NMAC, the permittee shall have 90 days from the effective date of this Discharge Permit (**November 6, 2014**) to submit the information required by Paragraph (6) of Subsection A of 20.6.6.23 NMAC to verify that monitoring wells in existence as of the effective date of this Discharge Permit and prior to the effective date of the Dairy Rule (December 31, 2011) are appropriate for continued use for ground water monitoring.

The permittee is authorized to use the following monitoring well(s) provided that the requirements of Paragraph (6) of Subsection A of 20.6.6.23 NMAC are met.

- a) **MW-2**, hydrologically downgradient of Original Runoff Pond; located east of the Original Runoff Pond.
 - b) **MW-5**, hydrologically downgradient of Wastewater Storage Impoundment-North; located east of Wastewater Storage Impoundment- North.
 - c) **MW-6**, hydrologically downgradient of TV-1; located east of TV-1.
 - d) **MW-7**, hydrologically downgradient of TV-2; located east of TV-2.
20. The permittee shall complete the following items and submit documentation to NMED as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<p><u>Ground Water Monitoring – Existing Wastewater Impoundments:</u></p> <p>Install the following monitoring wells within 75 feet hydrologically downgradient of the top inside edge of each <u>existing</u> wastewater impoundment:</p> <ul style="list-style-type: none"> i) MW-3A, hydrologically downgradient of East Wastewater Impoundment (Original) and outside the boundaries of Field 5; replaces MW-3 located within the boundaries of Field 5. 	December 6, 2014	20.6.6.23.A(1) NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
B.	<p><u>Ground Water Monitoring – New Wastewater Impoundments:</u></p> <p>Install the following monitoring wells within 75 feet hydrologically downgradient of the top inside edge of each <u>new</u> wastewater impoundment:</p> <p>i) MW-11, hydrologically downgradient of Settling Impoundments East and West.</p>	<p>Prior to discharging wastewater into the impoundment or within 120 days of impoundment completion, whichever occurs first.</p>	<p>20.6.6.23.A(1) NMAC and 20.6.6.23.A(7) NMAC</p>
C.	<p><u>Ground Water Monitoring – Existing Land Application Area:</u></p> <p>Install the following monitoring wells within 50 feet hydrologically downgradient of the downgradient boundary of <u>existing</u> fields within the land application area:</p> <p>i) MW-1A, hydrologically downgradient of 3-V Fields 1 and 2; replaces MW-1 reported as dry.</p> <p>ii) MW-4A, hydrologically downgradient of 3-V Field 3; replaces MW-4 reported as dry.</p> <p>iii) MW-12, hydrologically downgradient of 3-V Field 4.</p> <p>iv) MW-13, hydrologically downgradient of 3-V Field 5.</p>	<p>December 6, 2014</p>	<p>20.6.6.23.A(4) (a) and (b) NMAC</p>
D.	<p><u>Ground Water Monitoring – Upgradient:</u></p> <p>Install a monitoring well, MW-10, hydrologically upgradient of all contamination sources at the dairy facility.</p>	<p>December 6, 2014</p>	<p>20.6.6.23.A(5) NMAC</p>
E.	<p><u>Ground Water Sampling and Reporting – Routine:</u></p> <p>Collect and analyze ground water samples quarterly from all monitoring wells identified in this Discharge Permit. Sampling shall be performed and results submitted in accordance with Subsection F of 20.6.6.23 NMAC.</p>	<p>Quarterly</p>	<p>20.6.6.23.G NMAC</p>
F.	<p><u>Ground Water Sampling – New Monitoring Wells:</u></p> <p>Collect ground water samples from monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i>. Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations:</p> <p>i) MW-1A, hydrologically downgradient of 3-V Field 1 and 2.</p> <p>ii) MW-3A, hydrologically downgradient of East Wastewater Impoundment (Original) and outside the boundaries of Field 5.</p> <p>iii) MW-4A, hydrologically downgradient of 3-V Field 3.</p> <p>iv) MW-10, hydrologically upgradient of all contamination</p>	<p>January 5, 2015</p>	<p>20.6.6.23.H NMAC</p>

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
	sources at the dairy facility including TV-1 and TV-2. v) MW-12, hydrologically downgradient of 3-V Field 4. vi) MW-13, hydrologically downgradient of 3-V Field 5.		
G.	<p><u>Ground Water Sampling – New Monitoring Wells for New Impoundments:</u></p> <p>Collect ground water samples from monitoring wells required to be installed <i>within the term of the Discharge Permit</i>, (i.e., associated with the newly constructed impoundments). Sampling shall be performed in accordance with Subsection F of 20.6.6.23 NMAC using the monitoring wells required to be installed in the following locations:</p> <p>i) MW-11, hydrologically downgradient of Settling Impoundments East and West.</p>	<p>Within 30 days of well completion.</p>	<p>20.6.6.23.H NMAC</p>
H.	<p><u>Monitoring Well Survey and Ground Water Flow Determination:</u></p> <p>Survey monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i> to a USGS benchmark.</p> <p>Survey monitoring wells required to be installed <i>within the term of the Discharge Permit</i> to a USGS benchmark.</p>	<p>January 5, 2015</p> <p>Upon well completion, to be included in the well completion report.</p>	<p>20.6.6.23.I NMAC</p>
I.	<p><u>Monitoring Well Completion Report:</u></p> <p>Submit a monitoring well completion report for monitoring wells required to be installed <i>within 120 days of the effective date of the Discharge Permit</i>. The report shall include information from all monitoring wells.</p>	<p>February 4, 2015</p>	<p>20.6.6.23.J NMAC</p>
J.	<p><u>Monitoring Well Completion Report – Monitoring Wells for New Impoundments:</u></p> <p>Submit a monitoring well completion report for monitoring wells required to be installed <i>within the term of the Discharge Permit</i> (i.e., associated with the newly constructed impoundments). The report shall include information from all monitoring wells.</p>	<p>Within 60 days of well completion.</p>	<p>20.6.6.23.J NMAC</p>

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
K.	<u>Ground Water Elevation Contour Maps:</u> Develop and submit ground water elevation contour maps on a quarterly basis using data collected from all monitoring wells used for ground water monitoring at the dairy facility.	Quarterly	20.6.6.23.L NMAC

MONITORING REQUIREMENTS

21. The permittee shall comply with the requirements of Sections 20.6.6.24 and 20.6.6.25 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of Sections 20.6.6.24 and 20.6.6.25 NMAC.
22. The permittee shall submit monitoring reports to NMED on a quarterly schedule that contain monitoring data and information collected pursuant to the Dairy Rule and submitted in accordance with Subsection A of 20.6.6.24 NMAC.

Quarterly monitoring reports shall be submitted according to the following schedule:

- January 1 through March 31 (first quarter) – report due by **May 1**
- April 1 through June 30 (second quarter) – report due by **August 8**
- July 1 through September 30 (third quarter) – report due by **November 1**
- October 1 through December 31 (fourth quarter) – report due by **February 1**

23. The permittee shall perform the following monitoring and submit to NMED the required documentation in monitoring reports as summarized in the following table:

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
A.	<u>Wastewater Volume Measurement and Reporting:</u> Using a flow meter(s) installed on the discharge line(s), measure the volume of all wastewater discharged to the impoundment(s) authorized to contain wastewater. Submit the information.	Quarterly	20.6.6.24.C NMAC
B.	<u>Stormwater Sampling and Reporting:</u> Collect and analyze stormwater samples on a quarterly basis from each stormwater impoundment and submit results.	Quarterly	20.6.6.24.D NMAC
C.	<u>Flow Meter Field Calibration:</u> Perform flow meter field calibrations annually and submit a flow meter field calibration report.	Annually: May 1	20.6.6.24.E NMAC

Item No	Action Required and Submittal Due to NMED	Due Date	Citation
D.	<p><u>Volume of Wastewater and Wastewater/Stormwater Land Applied – Measurement and Reporting:</u></p> <p>Measure the volume of all wastewater discharges to each field within the land application area using a flow meter(s) and submit the information.</p>	Quarterly	20.6.6.25.A NMAC
E.	<p><u>Volume of Stormwater Land Applied – Measurement and Reporting:</u></p> <p>Measure the volume of all stormwater applications to each field within the land application area using a flow meter(s) and submit the information.</p>	Quarterly	20.6.6.25.B NMAC
F.	<p><u>Wastewater to be Land Applied – Sampling and Reporting:</u></p> <p>The permittee shall collect a representative wastewater sample (consisting of eight subsamples) from each wastewater or combination wastewater/stormwater impoundment. Analyze each representative wastewater sample on a quarterly basis and submit results.</p>	Quarterly	20.6.6.25.C NMAC
G.	<p><u>Manure Solids – Nitrogen Content:</u></p> <p>Should a permittee choose to use actual nitrogen content values of on-site manure solids for the purpose of applying to the land application area, the permittee shall collect and analyze samples annually, and submit results.</p>	Quarterly	20.6.6.25.D NMAC
H.	<p><u>Irrigation Water – Sampling, Volume Applied and Reporting:</u></p> <p>Collect and analyze fresh irrigation water samples on an annual basis from each irrigation well associated with the land application area. Estimate the annual volume of irrigation water applied to each field from each well. Submit estimated volumes and analytical results.</p>	Annually: May 1	20.6.6.25.E NMAC
I.	<p><u>Fertilizer Application Reporting:</u></p> <p>Maintain and submit a log of all additional fertilizer applied to each field within the land application area.</p>	Quarterly	20.6.6.25.F NMAC
J.	<p><u>Land Application Data Sheets:</u></p> <p>Complete and submit land application data sheets (LADS) for each field within the land application area.</p>	Quarterly	20.6.6.25.G NMAC
K.	<p><u>Crop Yield Documentation:</u></p> <p>Submit crop yield documentation and plant and harvest dates of each crop grown.</p>	Quarterly	20.6.6.25.H NMAC
L.	<p><u>Nitrogen Concentration of Harvested Crop:</u></p> <p>Determine the percent total nitrogen and dry matter of each harvested crop and submit results.</p>	Quarterly	20.6.6.25.I NMAC

Item No.	Action Required and Submittal Due to NMED	Due Date	Citation
M.	<u>Nitrogen Removal Summary of Harvested Crop:</u> Develop and submit a nitrogen removal summary for each crop grown on each field within the land application area.	Quarterly	20.6.6.25.J NMAC
N.	<u>Soil Sampling – Initial Event in a Discharge Permit Term:</u> Collect and analyze <u>initial</u> soil samples from each field in the land application area for the first soil sampling event during the first year following the effective date of this Discharge Permit. Submit the results.	May 1, 2015	20.6.6.25.K NMAC
O.	<u>Soil Sampling – Routine:</u> Collect and analyze <u>routine</u> soil samples annually from each field in the land application area beginning the year following the initial sampling event. Submit the results.	Annually: May 1	20.6.6.25.L NMAC

CONTINGENCY REQUIREMENTS

24. The permittee shall comply with the requirements of Section 20.6.6.27 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.27 NMAC.

CLOSURE REQUIREMENTS

25. The permittee shall comply with the requirements of Section 20.6.6.30 NMAC and shall submit to NMED all information or documentation required by the applicable portions of Section 20.6.6.30 NMAC.
26. Within 120 days of the effective date of the Discharge Permit (**December 6, 2014**), the permittee shall abandon the following well(s) previously used for monitoring in accordance with Subsection C of 20.6.6.30 NMAC.
- a) **MW-1**, located in the southwest corner of Field 1; reported as dry.
 - b) **MW-4**, located north-northeast of 3-V Field 3; reported as dry.

The well abandonment report shall be submitted to NMED within 60 days of completion of well plugging activities.

GENERAL REQUIREMENTS

27. The permittee shall operate in a manner such that standards and requirements of Sections 20.6.2.3101 and 20.6.2.3103 NMAC are not violated.

28. The permittee shall retain required records for a minimum period of 10 years from the date of sample collection, measurement, report or application in accordance with Section 20.6.6.33 NMAC.
29. Transfer of a Discharge Permit for a dairy facility shall be completed in accordance with Section 20.6.6.34 NMAC.
30. To renew this Discharge Permit, the permittee shall submit an application for renewal, renewal and modification, or renewal for closure at least one year prior to the expiration date of the Discharge Permit in accordance with Section 20.6.6.10 NMAC.
31. In accordance with Subsection A of 20.6.6.9 NMAC, the permittee shall remit a permit fee payment equal to one-tenth of the applicable permit fee from Table 1 of Section 20.6.2.3114 NMAC on the first occurrence of August 8 after the effective date of the Discharge Permit, and annually thereafter until expiration or termination of the Discharge Permit.

V. ADDITIONAL CONDITIONS

In addition to the requirements of 20.6.6 NMAC, the permittee shall comply with the following conditions as authorized by Subsection H of 20.6.6.10 NMAC pursuant to Section 74-6-5 WQA. A hearing may be requested on additional conditions in accordance with Section 20.6.6.15 NMAC.

1. This Discharge Permit does not contain additional conditions.

VI. PERMIT ISSUANCE

Pursuant to WQA 74-6-5(I), the term of this Discharge Permit shall be for the fixed term of five years from the effective date of the Discharge Permit.

Issued by: New Mexico Environment Department

Effective Date: **August 8, 2014**

Expiration Date: **August 8, 2019**



JERRY SCHOEPFNER
Chief, Ground Water Quality Bureau
New Mexico Environment Department